



Canadian Numbering Administrator Administrateur de la numérotation canadienne

Date: 28 October 2026

On **30 November 2026**, the CNA will be modifying the CNA website to facilitate the removal of the Effective Date field as part of the geographic Thousands Block status listings, based on an agreement reached at CSCN 136. This may affect users of the website who have automations that download Thousands-Block status data.

The following changes shall occur:

1. Individual Thousands Block Complex status pages will be modified to remove the field “Effective Date”. An example of the Thousands-Block status page for NPA Complex 7 (343/613/753) is below and has had the “Effective Date” field removed. The field was between the “Code Holder OCN” and “TB Available Date” fields.

**Canadian Numbering Administrator
Administrateur de la numérotation canadienne**

CO Thousands-Block Status for NPA Complex 7 343/613/753 Eastern Ontario

Click on column title for single-column sort or use the filters by selecting categories/ranges or type-in boxes. Above the title columns, the rows visible and total are noted on the left, data-page navigation in the center and records per page and “Clear filters” function (X) are located on the right. Download the [csv](#) format status file for advanced data filtering and sorting in a desktop spreadsheet application.

The Contaminated indicator and the Contamination (count of contaminated TNs) are valid as of the date of the block return. Contamination level information may have changed since being returned to the pool, and TSPs should check with their own NPAC sources for updated information.

Statuses: AV-Available, AF-Available (Future), AP-Available (Pending), IS-In Service, RA-Recovered/Aging

Rows: 1-10 / 10 Page 1 of 1 Records: 100 X

NPA	NXX	X	Status	Exchange Area	Province	Contaminated	Contamination (TNs)	Code Holder	Code Holder OCN	TB Available Date	Block Holder	Block Holder OCN	Assigned Date	Remarks
<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>
753	946	0	AS	Kingston	ON			Westport Telephone Company Limited	920D		Westport Telephone Company Limited	920D	2026-09-10	TBP Testing
753	946	1	AP	Kingston	ON			Westport Telephone Company Limited	920D	2026-10-05				TBP Testing
753	946	2	AP	Kingston	ON			Westport Telephone Company Limited	920D	2026-10-05				TBP Testing
753	946	3	AP	Kingston	ON			Westport Telephone Company Limited	920D	2026-10-05				TBP Testing
753	946	4	AP	Kingston	ON			Westport Telephone Company Limited	920D	2026-10-05				TBP Testing

2. **CSV data files containing Thousands-Block status data** for both individual NPA Complexes **and the compressed CSV data file containing all geographic Complexes** will be modified to remove the “Effective Date” field. An example of the Thousands-Block status CSV data file for NPA Complex 7 (343/613/753) is below with the field removed.

****NOTE THAT THIS CHANGE MAY AFFECT AUTOMATION SYSTEMS PROCESSING THE FILE:**

https://cnac.ca/data/COBlockStatus_ALL.zip

(sample with no word wrap on)

```
COBlockStatus_Complex_7.csv
1 "NPA","NXX","X","Status","Exchange Area","Province","Contaminated","Contamination (TNs)","Code Holder","Code Holder OCN","TB Available Date","Block Holder","Block Holder OCN","Assigned Date","Remarks"
2 ,,,,,,,,,,2026-10-27
3 753,946,0,"AS","Kingston","ON",,"Westport Telephone Company Limited","920D",,"Westport Telephone Company Limited","920D","2026-09-10",,"TBP Testing"
4 753,946,1,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
5 753,946,2,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
6 753,946,3,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
7 753,946,4,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
8 753,946,5,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
9 753,946,6,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
10 753,946,7,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
11 753,946,8,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
12 753,946,9,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
13
```

(sample with word wrap on - easier to see!)

```
COBlockStatus_Complex_7.csv
1 "NPA","NXX","X","Status","Exchange Area","Province","Contaminated","Contamination (TNs)","Code Holder","Code
Holder OCN","TB Available Date","Block Holder","Block Holder OCN","Assigned Date","Remarks"
2 ,,,,,,,,,,2026-10-27
3 753,946,0,"AS","Kingston","ON",,"Westport Telephone Company Limited","920D",,"Westport Telephone Company
Limited","920D","2026-09-10",,"TBP Testing"
4 753,946,1,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
5 753,946,2,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
6 753,946,3,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
7 753,946,4,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
8 753,946,5,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
9 753,946,6,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
10 753,946,7,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
11 753,946,8,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
12 753,946,9,"AP","Kingston","ON",,"Westport Telephone Company Limited","920D","2026-10-05",,"TBP Testing"
13
```